

acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

SECTION 1: Identification

1.1 Product identifier

Trade name PENAIR HD-1 RTU PUMP SPRAY

Alternative number(s) XB16047

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Aircraft Exterior Cleaner

1.3 Details of the supplier of the safety data sheet

Chemisphere 2101 Clifton Ave St. Louis MO 63139 United States

Telephone: 314-644-1300

Fax: 314-644-7194

Website: www.ChemisphereCorp.com

Email: jbrooks@chemispherecorp.com

1.4 Emergency telephone number

Emergency information service CHEMTREC: 800-424-9300 (24 Hour)

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2B	Eye Irrit. 2B	H320
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
A.10	aspiration hazard	1	Asp. Tox. 1	H304
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.


The most important adverse physicochemical, human health and environmental effects
The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

United States: en Page: 1 / 16





PENAIR HD-1 RTU PUMP SPRAY


Version number: 1.1 Date of compilation: 2024-08-05

- Pictograms

GHS02, GHS07, GHS08







H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315+H320 Causes skin and eye irritation. May cause an allergic skin reaction. H317 May cause drowsiness or dizziness. H336

- Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P271 Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. P272

Wear protective gloves/eye protection/face protection. P280 If swallowed: Immediately call a poison center/doctor. P301+P310

If on skin: Wash with plenty of water. P302+P352

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305+P351+P338

easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P362 Take off contaminated clothing and wash before reuse.

Wash contaminated clothing before reuse. P363

In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish. P370+P378

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for d-Limonene

labelling

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not relevant (mixture)

United States: en Page: 2 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

3.2 Mixtures

Description of the mixture

Name of substance	Ide	ntifier	Wt%
Water	CAS No	7732-18-5	75 – < 95
Oleic Acid	CAS No	61790-44-1	<11
d-Limonene	CAS No	5989-27-5	<11
Glycol Ether DB	CAS No	112-34-5	<11
Dipropylene Glycol	CAS No	25265-71-8	1 - < 6
Nonylphenol, branched, ethoxylated	CAS No	68412-54-4	1 - < 6
Hydrocal 100	CAS No	64742-52-5	1 - < 6
Sodium Bicarbonate	CAS No	144-55-8	1-<6

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

United States: en Page: 3 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

United States: en Page: 4 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
US	triethanolamine	102-71-6	PEL (CA)		5						Cal/OSH A PEL
US	triethanolamine	102-71-6	TLV®		5						ACGIH® 2024
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	ACGIH® 2024
US	2,6-di-tert-butyl-p- cresol	128-37-0	PEL (CA)		10						Cal/OSH A PEL
US	2,6-di-tert-butyl-p- cresol	128-37-0	REL		10 (10 h)						NIOSH REL
US	butylated hydroxy- toluene	128-37-0	TLV®		2					iv	ACGIH® 2024
US	potassium hydrox- ide	1310-58-3	REL						2		NIOSH REL
US	potassium hydrox-	1310-58-3	TLV®						2		ACGIH®

United States: en Page: 5 / 16



CHEMISPHERE

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
	ide										2024
US	potassium hydrox- ide (caustic potash)		PEL (CA)						2		Cal/OSH A PEL

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction and vapor

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
d-Limonene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
d-Limonene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects
Nonylphenol, branched, ethoxylated	68412-54-4	DNEL	4.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
Nonylphenol, branched, ethoxylated	68412-54-4	DNEL	66.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects
Dipropylene Glycol	25265-71-8	DNEL	238 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
Dipropylene Glycol	25265-71-8	DNEL	84 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
d-Limonene	5989-27-5	PNEC	14 ^{µg} / _I	aquatic organisms	freshwater	short-term (single in- stance)
d-Limonene	5989-27-5	PNEC	1.4 ^{µg} / _I	aquatic organisms	marine water	short-term (single in- stance)
d-Limonene	5989-27-5	PNEC	1.8 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
d-Limonene	5989-27-5	PNEC	3.85 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
d-Limonene	5989-27-5	PNEC	0.385 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
d-Limonene	5989-27-5	PNEC	0.763 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

United States: en Page: 6 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Relevant PNECs of	component	S				
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Nonylphenol, branched, ethoxylated	68412-54-4	PNEC	0.8 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Nonylphenol, branched, ethoxylated	68412-54-4	PNEC	0.8 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Nonylphenol, branched, ethoxylated	68412-54-4	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Nonylphenol, branched, ethoxylated	68412-54-4	PNEC	4.6 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Nonylphenol, branched, ethoxylated	68412-54-4	PNEC	0.46 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Dipropylene Glycol	25265-71-8	PNEC	0.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Dipropylene Glycol	25265-71-8	PNEC	0.01 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Dipropylene Glycol	25265-71-8	PNEC	1,000 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Dipropylene Glycol	25265-71-8	PNEC	0.238 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Dipropylene Glycol	25265-71-8	PNEC	0.024 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Dipropylene Glycol	25265-71-8	PNEC	0.025 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Use safety goggle with side protection. Wear face-shield.

Skin protection

- Hand protection

Wear suitable gloves.

- Other protection measures

Wash hands thoroughly after handling. Protective clothing against liquid chemicals. Footwear protecting against chemicals.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

United States: en Page: 7 / 16



PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

SECTION 9: Physical and chemical properties

CHEMISPHERE

9.1 Information on basic physical and chemical properties Appearance

Physical state	quid		
Color	Slightly cloudy amber liquid		
Particle	not relevant (liquid)		
Odor	characteristic		

Other safety parameters

pH (value)	8 - 9
Melting point/freezing point	30 °F
Initial boiling point and boiling range	212 °F
Flash point	125 °F at 1 atm
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

Explosive limits

- Lower explosion limit (LEL)	0.85 vol%
- Upper explosion limit (UEL)	24.6 vol%
Vapor pressure	200 Pa at 298 K
Density	not determined
Vapor density this information is not available	
Relative density	information on this property is not available
Solubility(ies) not determined	

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	245 °C
Viscosity	not determined
Explosive properties	none

United States: en Page: 8 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Oxidizing properties	none
----------------------	------

9.2 Other information

Liquid content	100 %
Solid content	5 %
Temperature class (USA, acc. to NEC 500)	T2C (maximum permissible surface temperature on the equipment: 230°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

United States: en Page: 9 / 16





acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Acute toxicity estimate (ATE) of compo	nents		
Name of substance	CAS No	Exposure route	ATE
Hydrocal 100	64742-52-5	inhalation: vapor	11 ^{mg} / _l /4h
Hydrocal 100	64742-52-5	inhalation: dust/mist	2.18 ^{mg} / _l /4h
Dipropylene Glycol	25265-71-8	inhalation: vapor	11 ^{mg} / _l /4h
Dipropylene Glycol	25265-71-8	inhalation: dust/mist	>2.34 ^{mg} / _I /4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans			
Name of substance CAS No Classification Number			
d-Limonene	5989-27-5	3	

<u>Legend</u>

3 Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

United States: en Page: 10 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Aquatic toxicity (acu	te) of component	ts			
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
d-Limonene	5989-27-5	LC50	720 ^{µg} / _I	fish	96 h
d-Limonene	5989-27-5	EC50	688 ^{µg} / _I	fish	96 h
d-Limonene	5989-27-5	ErC50	0.32 ^{mg} / _l	algae	72 h
Sodium Bicarbonate	144-55-8	LC50	7,100 ^{mg} / _l	fish	96 h
Sodium Bicarbonate	144-55-8	EC50	4,100 ^{mg} / _l	aquatic invertebrates	48 h
Hydrocal 100	64742-52-5	LL50	>100 ^{mg} / _l	fish	96 h
Hydrocal 100	64742-52-5	EL50	>10,000 ^{mg} / _l	aquatic invertebrates	24 h
Nonylphenol, branched, ethoxylated	68412-54-4	LC50	0.218 ^{mg} / _l	fish	96 h
Nonylphenol, branched, ethoxylated	68412-54-4	ErC50	>3 ^{mg} / _l	algae	72 h
Dipropylene Glycol	25265-71-8	LC50	46,500 ^{mg} / _l	fish	96 h
Dipropylene Glycol	25265-71-8	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
Dipropylene Glycol	25265-71-8	ErC50	>100 ^{mg} / _l	algae	72 h

Aquatic toxicity (chr	onic) of compone	ents			
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
d-Limonene	5989-27-5	EC50	<0.67 ^{mg} / _I	fish	8 d
d-Limonene	5989-27-5	LC50	0.41 ^{mg} / _l	fish	8 d
Sodium Bicarbonate	144-55-8	LC50	675 ^{mg} / _l	fish	37 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

United States: en Page: 11 / 16





PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number not assigned

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards

14.6 Special precautions for user

Do not handle until all safety precautions have been read and understood. .

14.7 <u>Information for each of the UN Model Regulations</u>

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment) (d-Limonene)

Danger label(s) 3, fish and tree





Special provisions (SP) 223, 274, 955

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-E, <u>S-E</u>
Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 3



Special provisions (SP) A3
Excepted quantities (EQ) E1
Limited quantities (LQ) 10 L

United States: en Page: 12 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
d-Limonene	5989-27-5		EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed
- Hazardous Substances List (MN-ERTK) none of the ingredients are listed
- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
d-Limonene	138-86-3		F2
Glycol Ether DB			

Legend

F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK) none of the ingredients are listed
- Hazardous Substance List (RI-RTK) none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

United States: en Page: 13 / 16





PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temper- atures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temper- atures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2024	From ACGIH®, 2024 TLVs® and BEIs® Book. Copyright 2024. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

United States: en Page: 14 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

United States: en Page: 15 / 16



acc. to 29 CFR 1910.1200 App D

PENAIR HD-1 RTU PUMP SPRAY

Version number: 1.1 Date of compilation: 2024-08-05

Code	Text
H320	Causes eye irritation.
H336	May cause drowsiness or dizziness.

Disclaimer

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Chemisphere, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Chemisphere be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTIC-ULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY CHEMISPHERE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance, which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.

United States: en Page: 16 / 16